

Intertek
UBC 26-7
TEST RESULTS

Client: Ultraflex Systems
Project No.: 3177352SAT-003C
Date: 4/30/09
SPECIMEN I.D.: JetFlex FL

Classification Criteria

Plastic materials that have a burning extent of 25 mm or less are classified as CC1.
Plastic materials that have a burning rate of 64 mm/minute or less are classified as CC2.

Specimen	Total Time t (sec.)	Average Extent of Burning (mm)	Average Time of Burning t-30 (sec.)
1	31	17	1
2	30	18	0
3	31	21	1
4	31	17	1
5	30	13	0
6	31	10	1
7	30	15	0
8	30	17	0
9	31	13	1
10	31	21	1
Average	31	16	1

This material met the CC1 classification.